


DAVID Y. IGE  
GOVERNOR



HAKIM OUANSAFI  
EXECUTIVE DIRECTOR

**STATE OF HAWAII**  
DEPARTMENT OF HUMAN SERVICES  
HAWAII PUBLIC HOUSING AUTHORITY  
1002 NORTH SCHOOL STREET  
POST OFFICE BOX 17907  
Honolulu, Hawaii 96817

BARBARA E. ARASHIRO  
EXECUTIVE ASSISTANT

IN REPLY PLEASE REFER TO:  
19:CPO/277

September 27, 2019

TO: Interested Parties

FROM: Rick T. Sogawa   
Procurement Officer

SUBJECT: Request-for-Proposals No. PMB-2019-06, Furnish and Deliver New Vehicles to the Hawaii Public Housing Authority on Oahu, Kauai, Maui, Molokai, and Hawaii Island; Addendum No. 6

This Addendum No. 6 is to: 1) provide clarification; and 2) amend the RFP as follows:

**Part I – Clarification:**

1. For clarification purposes, metal ladder racks is included in the Minimum Specifications under this RFP. See attached photo.

**Part II – Amendments to the RFP:**

1. Section 2.IV.A.2.Product Literature Certifications, page 19, the subparagraph is hereby amended as follows:

“Interested offerors shall ~~make available electronically~~ include in the proposal ~~two (2) copies~~ **three (3) copies** of the factory printed literature of the model(s) to be furnished and one (1) copy of the user's owner's manual covering care and operation **for each vehicle to be provided by the Successful Offeror.**”

2. Section 2.IV.B.Technical Specifications,i., page 23, the subparagraph is hereby amended as follows:

“Group A: Oahu – **Two (2) new 1-ton pick-up trucks; Nine (9) 11 new 3/4-ton pick-up trucks; 10 Eight (8) new 1/2-ton pick-up trucks, 12 new 4-door standard pickup trucks, and 11 new 2-door standard pickup trucks.**

3. Section 2.IV.B.Technical Specifications, b.Full Size Pick-Up – 3/4, page 26 is hereby amended as follows:

**"The HPHA intends to purchase 9 11 new 3/4-ton pick-up trucks for Group A: Oahu, one (1) new 3/4-ton pick-up truck for Group B: Hawaii Island, five (5) new 3/4-ton pick-up trucks for Group C: Kauai and one (1) new 3/4-ton pick-up truck for Group D: Maui. All specifications/quantities listed represent a minimum, unless otherwise specified."**

4. Section IV.B.Technical Specifications.xi.Exterior, pages 26, 28, 30 and 32 is hereby amended as follows:

**"Other: Operator's Manual**  
Mileage Shall Not Exceed 500 Miles at Time of Delivery  
**Shop Repair Manual, Owner's Manual (Two (2) Sets) One (1) copy** or Approved Substitute  
Vehicle Safety Inspection Not Less Than 30 Days of Expiration at Time of Delivery  
Two (2) Sets of Keys  
Back Up Alarm  
7-year/84,000 Miles Extended Warranty  
Quarterly Routine Maintenance

5. Section 2.IV.B.Technical Specifications.v.Body/Cab, page 27 is hereby amended as follows:

**"Crew Cab with Four (4) Doors, Eight (8) Foot Bed (Quantity: Group A: Oahu – Seven (7) Nine (9); Group C: Kauai – Five (5); Group D: Maui – One (1))**  
**Crew Cab with Four (4) Doors, 6 Foot Bed (Quantity: Group A: Oahu – Six (6) Two (2); Group B: Hawaii Island – One (1))"**

6. Section 2.IV.B.Technical Specifications,c. Mid Size Pick Up Trucks – 1/2-ton, page 28 is hereby amended as follows:

**The HPHA intends to purchase 10 Eight (8) new 1/2-ton pick-up trucks for Group A: Oahu; one (1) new 1/2-ton pick-up truck for Group B: Hawaii Island; four (4) new 1/2-ton pick-up trucks for Group D: Maui; one (1) new 1/2-ton pick-up truck for Group E: Molokai. All specifications/ quantities listed represent a minimum, unless otherwise specified.**

7. Section 2.IV.B.Technical Specifications.v.Body/Cab, page 29 is hereby amended as follows:

- “Crew **Access** Cab with Four (4) **Two (2)** Doors, Eight (8) Foot Bed  
(Quantity: Group A: Oahu – ~~Nine (9)~~ **Two (2)**; Group D:  
Maui – ~~Four (4)~~ **Three (3)**; Group E: Molokai – One (1))  
Crew **Access Crew** Cab with Four (4) Doors, Six (6) Foot Bed  
(Quantity: Group A: Oahu – ~~One (1)~~ **Six (6)**; Group B:  
Hawaii Island – One (1); **Group D: Maui – One (1)**; ~~Group E: Molokai –  
One (1))~~”

8. Section 2.IV.B.Technical Specifications,d.Standard Pick Up Trucks, page 31 is hereby amended as follows:

- “Crew Cab with Four (4) Doors, Six (6) Foot Bed  
(Quantity: Group A: Oahu – 12; Group D: Maui –  
**One (1)** ~~Two (2)~~) ~~Access Cab with 2 Doors, 8 Foot Bed~~  
(Quantity: 1 – ~~Kauai~~)  
~~Access Cab with Two (2) Doors, Six (6) Foot Bed~~  
(Quantity: Group A: Oahu – 11; Group B: Hawaii  
Island – Two (2))”

9. Under Section 3.III.D.Service Deliver, Minimum Features, and Other, page 37, is amended as follows:

“This section shall demonstrate the offeror’s ability to provide the proposed goods on a timely basis to include a detailed timeline. The offeror shall make available **three (3) copies** of the factory printed literature of the model to be furnished, and ~~two (2) sets~~ one (1) copy of the ~~of the operator’s manual, and shop repair manual,~~ owner’s manual or approved substitute **for each vehicle to be provided by the Successful Offeror.**”

10. Attachment 2b – Minimum Specifications List (Rev. 9/20/2019) is hereby replaced by Attachment 2c – Minimum Specifications List (Rev. 9/27/2019). Proposals submitted using Attachment 2a or 2b may be rejected and deemed non-responsive.
11. Attachment 3a – Price Proposal Format (Rev. 9/20/2019) is hereby replaced by Attachment 3b – Price Proposal Format (Rev. 9/27/2019). Proposal submitted using Attached 3 or 3a may be rejected and deemed non-responsive
12. All other terms of the RFP, as amended, shall remain in effect

If you have any questions, please call contact Rick Sogawa, RFP Coordinator at (808) 832-6038. Thank you for your attention to this matter.

## MINIMUM SPECIFICATIONS LIST

### NEW FULL SIZE PICK TRUCK – 1-TON

Model Year: 2019 or Newer \_\_\_\_\_

Model: Ford F-350/450, Chevrolet Silverado 3500 or Similar \_\_\_\_\_

#### 1. MINIMUM SPECIFICATIONS

a. Engine: 6.2 Liter \_\_\_\_\_  
Eight (8) Cylinder \_\_\_\_\_

Vehicles may need to comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Alternate Fueled Vehicles (AFV) and must be designed to operate on one (1) of the following fuels:

All Gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic \_\_\_\_\_  
Rear Wheel Drive, with Overdrive and Tow/Haul Mode \_\_\_\_\_

c. Body/Cab: Crew Cab With Four (4) Doors, \_\_\_\_\_  
Eight (8) Foot Bed \_\_\_\_\_  
GVWR 10,001 – 14,000 \_\_\_\_\_

d. Mechanical: Power Four (4)-Wheel Disc Brakes \_\_\_\_\_  
with Rear Anti Lock Brakes \_\_\_\_\_  
Front Disc \_\_\_\_\_  
Power Rack and Pinion Steering \_\_\_\_\_  
Hood Open Assist Mechanisms \_\_\_\_\_

e. Wheels: LT245 Radial Tires \_\_\_\_\_  
Full Size Spare Tire with Underframe \_\_\_\_\_

		Jack and Wheel Wrench	_____
f.	Suspension:	Axles, Springs, and Shock Absorbers Must Meet Manufacturer's and Federal GAWR requirements	_____
g.	Interior:	Five (5) Passenger Seating Capacity with Seat Belt Positions	_____
		Cruise Control	_____
		Adjustable Steering Wheel	_____
		Air Conditioning	_____
		AM/FM Radio	_____
		Auxiliary Port	_____
		Standard Vinyl Upholstery	_____
		Keyless Entry	_____
		Power Windows/Door Locks	_____
		Standard Floor Mats	_____
		Vehicle Anti-Theft System	_____
h.	Safety/Security:	Dual Front Air Bags (SRS)	_____
		Safety Belt Pretensioners	_____
		Belt Usage Sensors/Reminders	_____
		Alert Chimes (Rear Parking Aid)	_____
		Side Intrusion Door Beams	_____
		On Board Hands Free Communication System	_____
		Back Up Camera	_____
i.	Exterior:	Color: Factory White or Silver (White Preferred)	_____
		Dual Outside Mirrors	_____
		Factory Tinted Glass; All Windows	_____
		Auto Headlamps	_____
		Rear and Brake Lamps	_____
		Tow Hitch	_____
		Trailer Package w/Power Source in Bumper	_____
		Windshield Wipers with Variable Speed	_____
		Drop In Bed Liner Over Rail	_____
		Metal Ladder Racks	_____

- Side Mount Tool Boxes; Type – Stainless Steel or Aluminum, 72” Length x 12” Deep x 16” High \_\_\_\_\_
- j. Tailgate: 55” x 38”; Two Piece Aluminum Platform; 1500 lbs Capacity \_\_\_\_\_
- k. Other: **Operator’s Manual** \_\_\_\_\_
- Mileage Shall Not Exceed 500 Miles at Time of Delivery \_\_\_\_\_
- ~~Shop Repair Manual~~ or Owner’s Manual **(2 sets) (1 copy)** or Approved Substitute \_\_\_\_\_
- Vehicle Safety Inspection not less than 30 Days of Expiration at Time of Delivery \_\_\_\_\_
- Two (2) Sets of Keys \_\_\_\_\_
- Back Up Alarm \_\_\_\_\_
- Seven (7) Year/84,000 Miles Extended Warranty \_\_\_\_\_
- Quarterly Routine Maintenance \_\_\_\_\_

## 2. OPTIONAL (Two (2) Additional Point Each)

- On Board Navigational System \_\_\_\_\_
- Power Folding Mirrors \_\_\_\_\_
- Running Board(s) \_\_\_\_\_
- Tiptronic Automatic Transmission \_\_\_\_\_
- Spray On Bed Liner Over Rails \_\_\_\_\_
- Weather Terrain Floor Mats \_\_\_\_\_
- Engine Size, Larger than Minimum \_\_\_\_\_
- Extended Warranty, Greater than Minimum \_\_\_\_\_
- Extended Routine Maintenance, Greater than Minimum \_\_\_\_\_
- Other: \_\_\_\_\_
- Other: \_\_\_\_\_
- Other: \_\_\_\_\_
- Other: \_\_\_\_\_
- Other: \_\_\_\_\_

## NEW FULL SIZE PICK TRUCK – 3/4-TON

Model Year: 2019 or Newer \_\_\_\_\_

Model: Ford F-250/450, Chevrolet  
Silverado 2500, GMC  
Sierra 2500 or Similar \_\_\_\_\_

### 1. MINIMUM SPECIFICATIONS

a. Engine: 6.2 Liter \_\_\_\_\_  
Six (6) Cylinder \_\_\_\_\_

Vehicles may need to comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Alternate Fueled Vehicles (AFV) and must be designed to operate on one (1) of the following fuels:

All Gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic \_\_\_\_\_  
Rear Wheel Drive with Overdrive  
and Tow/Haul Mode \_\_\_\_\_  
Four (4) Wheel Drive (one (1) each for  
Group B, Group C and Group D) \_\_\_\_\_

c. Body/Cab: Crew Cab With 4 Doors,  
Eight (8) Foot Bed / Six (6) Foot Bed \_\_\_\_\_  
GVWR 6,001 – 10,000 \_\_\_\_\_

d. Mechanical: Power Four (4)-Wheel Disc Brakes  
with Rear Anti Lock Brakes \_\_\_\_\_  
Front Disc \_\_\_\_\_  
Power Rack and Pinion Steering \_\_\_\_\_  
Hood Open Assist Mechanisms \_\_\_\_\_

- e.      Wheels:              LT245 Radial Tires \_\_\_\_\_  
                                 Full Size Spare Tire with Underframe \_\_\_\_\_  
                                 Jack and Wheel Wrench \_\_\_\_\_
- f.      Suspension:          Axles, Springs, and Shock Absorbers \_\_\_\_\_  
                                 Must Meet Manufacturer's and Federal \_\_\_\_\_  
                                 GAWR requirements \_\_\_\_\_
- g.      Interior:                Five (5) Passenger Seating Capacity with \_\_\_\_\_  
                                 Seat Belt Positions \_\_\_\_\_  
                                 Cruise Control \_\_\_\_\_  
                                 Adjustable Steering Wheel \_\_\_\_\_  
                                 Air Conditioning \_\_\_\_\_  
                                 AM/FM Radio \_\_\_\_\_  
                                 Auxiliary Port \_\_\_\_\_  
                                 Keyless Entry \_\_\_\_\_  
                                 Standard Vinyl Upholstery \_\_\_\_\_  
                                 Power Windows/Door Locks \_\_\_\_\_  
                                 Standard Floor Mats \_\_\_\_\_  
                                 Vehicle Anti-Theft System \_\_\_\_\_
- h.      Safety/Security:        Dual Front Air Bags (SRS) \_\_\_\_\_  
                                 Safety Belt Pretensioners \_\_\_\_\_  
                                 Belt Usage Sensors/Reminders \_\_\_\_\_  
                                 Alert Chimes (Rear Parking Aid) \_\_\_\_\_  
                                 Side Intrusion Door Beams \_\_\_\_\_  
                                 On Board Hands Free Communication \_\_\_\_\_  
                                 System \_\_\_\_\_  
                                 Back Up Camera \_\_\_\_\_
- i.      Exterior:                Color: Factory White or Silver \_\_\_\_\_  
                                 (White Preferred) \_\_\_\_\_  
                                 Dual Outside Mirrors \_\_\_\_\_  
                                 Factory Tinted Glass; All Windows \_\_\_\_\_  
                                 Auto Headlamps \_\_\_\_\_  
                                 Rear and Brake Lamps \_\_\_\_\_  
                                 Tow Hitch \_\_\_\_\_  
                                 Trailer Package w/Power Source in \_\_\_\_\_  
                                 Bumper \_\_\_\_\_  
                                 Windshield Wipers with Variable Speed \_\_\_\_\_



- |    |   |   |
|----|---|---|
|    | Drop In Bed Liner Over Rail   | _____   |
|    | Metal Ladder Racks  | _____   |
|    | Side Mount Tool Boxes; Type – Stainless Steel or Aluminum, 72” Length x 12” Deep x 16” High | _____   |
| j. | Tailgate:   | 55” x 38”; Two Piece Aluminum Platform; 1500 lbs Capacity |
|    |   | _____   |
| k. | Other:  | <del>Operator’s Manual</del>                              |
|    |   | _____   |
|    | Mileage Shall Not Exceed 500 Miles at Time of Delivery                                      | _____   |
|    | <del>Shop Repair Manual (2-sets) (1 copy),</del>  |   |
|    | Owner’s Manual or Approved Substitute   | _____   |
|    | Vehicle Safety Inspection Not Less Than 30 Days of Expiration At Time of Delivery           | _____   |
|    | Two (2) Sets of Keys  | _____   |
|    | Back Up Alarm   | _____   |
|    | Seven (7) Year/84,000 Miles Extended Warranty   | _____   |
|    | Quarterly Routine Maintenance   | _____   |

## 2. OPTIONAL (Two (2) Additional Points Each)

- |  |       |
|--|-------|
| On Board Navigational System                       | _____ |
| Power Folding Mirrors                              | _____ |
| Running Board(s)                                   | _____ |
| Tiptronic Automatic Transmission                   | _____ |
| Spray On Bed Liner Over Rails                      | _____ |
| Weather Terrain Floor Mats                         | _____ |
| Engine Size, Larger than Minimum                   | _____ |
| Extended Warranty, Greater than Minimum            | _____ |
| Extended Routine Maintenance, Greater than Minimum | _____ |
| Other:   | _____ |
| Other:   | _____ |
| Other:   | _____ |
| Other:   | _____ |
| Other:   | _____ |

## NEW FULL SIZE PICK TRUCK – 1/2-TON

Model Year: 2019 or Newer \_\_\_\_\_

Model: Ford F-150/450, Chevrolet  
Silverado 1500, GMC Sierra  
1500, Dodge Ram 1500,  
Toyota Tundra, Nissan  
Titan or Similar \_\_\_\_\_

### 1. MINIMUM SPECIFICATIONS

a. Engine: 3.5 Liter \_\_\_\_\_

Six (6) Cylinder \_\_\_\_\_

All vehicles shall comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Alternate Fueled Vehicles (AFV) and must be designed to operate on one (1) of the following fuels:

All gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic \_\_\_\_\_

Rear Wheel Drive, With Overdrive  
and Tow/Haul Mode \_\_\_\_\_

c. Body/Cab: ~~Access Cab~~ **Crew Cab** with Four (4) Doors,  
~~Eight (8) Foot Bed~~ Six (6) Foot Bed;  
**Two (2) Doors, Eight (8) Foot Bed** \_\_\_\_\_

GVWR 6,001 – 10,000 \_\_\_\_\_

d. Mechanical: Power Four (4)-Wheel Disc Brakes  
with Rear Anti Lock Brakes \_\_\_\_\_

Front Disc \_\_\_\_\_

Power Rack and Pinion Steering \_\_\_\_\_

Hood Open Assist Mechanisms \_\_\_\_\_

- |    |                  |  |       |
|----|------------------|--|-------|
| e. | Wheels:          | LT245 Radial Tires   | _____ |
|    |                  | Full Spare Tire with Underframe                              | _____ |
|    |                  | Jack and Wheel Wrench  | _____ |
| f. | Suspension:      | Axles, Springs, and Shock Absorbers                          |       |
|    |                  | Must Meet Manufacturer's and Federal GAWR requirements       | _____ |
| g. | Interior:        | Five (5) Passenger Seating Capacity with Seat Belt Positions | _____ |
|    |                  | Cruise Control   | _____ |
|    |                  | Adjustable Steering Wheel                                    | _____ |
|    |                  | Air Conditioning   | _____ |
|    |                  | AM/FM Radio  | _____ |
|    |                  | Auxiliary Port   | _____ |
|    |                  | Standard Vinyl Upholstery                                    | _____ |
|    |                  | Keyless Entry  | _____ |
|    |                  | Power Windows/Door Locks                                     | _____ |
|    |                  | Standard Floor Mats  | _____ |
|    |                  | Vehicle Anti-Theft Systems                                   | _____ |
| h. | Safety/Security: | Dual Front Air Bags (SRS)                                    | _____ |
|    |                  | Safety Belt Pretensioners                                    | _____ |
|    |                  | Belt Usage Sensors/Reminders                                 | _____ |
|    |                  | Alert Chimes (Rear Parking Aid)                              | _____ |
|    |                  | Side Intrusion Door Beams                                    | _____ |
|    |                  | On Board Hands Free Communication System                     | _____ |
|    |                  | Back Up Camera   | _____ |
| i. | Exterior:        | Color: Factory White or Silver (White Preferred)             | _____ |
|    |                  | Dual Outside Mirrors   | _____ |
|    |                  | Factory Tinted Glass; All Windows                            | _____ |
|    |                  | Auto Headlamps   | _____ |
|    |                  | Rear and Brake Lamps   | _____ |
|    |                  | Tow Hitch  | _____ |
|    |                  | Windshield Wipers with Variable Speed                        | _____ |
|    |                  | Drop In Bed Liner Over Rail                                  | _____ |

- |    |           |   |       |
|----|-----------|---|-------|
|    |           | Metal Ladder Racks  | _____ |
|    |           | Side Mount Tool Boxes; Type – Stainless Steel or Aluminum, 72” Length x 12” Deep x 16” High | _____ |
| j. | Tailgate: | 55” x 38”; Two Piece Aluminum Platform; 1300 lbs Capacity                                   | _____ |
| k. | Other:    | <b>Operator’s Manual</b>  | _____ |
|    |           | Mileage Shall Not Exceed 500 Miles at Time of Delivery                                      | _____ |
|    |           | <del>Shop Repair Manual (2-sets) (1 copy),</del><br>Owner’s Manual or Approved Substitute   | _____ |
|    |           | Vehicle Safety Inspection Not Less Than 30 Days of Expiration At Time of Delivery           | _____ |
|    |           | Two (2) Sets of Keys  | _____ |
|    |           | Back Up Alarm   | _____ |
|    |           | Seven (7) Year/84,000 Miles Extended Warranty   | _____ |
|    |           | Quarterly Routine Maintenance   | _____ |

**2. Optional (Two (2) Additional Points Each)**

- |  |       |
|--|-------|
| On Board Navigational System                       | _____ |
| Power Folding Mirrors                              | _____ |
| Running Board(s)                                   | _____ |
| Tiptronic Automatic Transmission                   | _____ |
| Spray On Bed Liner Over Rails                      | _____ |
| Weather Terrain Floor Mats                         | _____ |
| Engine Size, Larger than Minimum                   | _____ |
| Extended Warranty, Greater than Minimum            | _____ |
| Extended Routine Maintenance, Greater than Minimum | _____ |
| Other:   | _____ |
| Other:   | _____ |
| Other:   | _____ |
| Other:   | _____ |
| Other:   | _____ |

## NEW FULL SIZE PICK TRUCK – STANDARD

Model Year: 2019 or Newer \_\_\_\_\_

Model: Ford Ranger, Chevrolet  
Colorado, Toyota Tacoma  
or Similar \_\_\_\_\_

### 1. MINIMUM SPEIFICATIONS

a. Engine: 2.3 Liter \_\_\_\_\_  
Four (4) Cylinder \_\_\_\_\_

All vehicles shall comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Alternate Fueled Vehicles (AFV) and must be designed to operate on one (1) of the following fuels:

All Gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic \_\_\_\_\_  
Rear Wheel Drive, with Overdrive  
and Tow/Haul Mode \_\_\_\_\_

c. Body/Cab: ~~Access-Crew Cab with Four (4) Doors /~~  
~~Access-Crew Cab with~~ Two (2) Doors,  
Six (6) Foot Bed \_\_\_\_\_  
GVWR 6,000 or Less \_\_\_\_\_

d. Mechanical: Power Four (4)-Wheel Disc Brakes  
With Rear Anti Lock Brakes \_\_\_\_\_  
Front Disc \_\_\_\_\_  
Power Rack and Pinion Steering \_\_\_\_\_  
Hood Open Assist Mechanisms \_\_\_\_\_

e. Wheels: LT245 Radial Tires \_\_\_\_\_  
Full Spare Tire with Underframe \_\_\_\_\_

		Jack and Wheel Wrench	_____
f.	Suspension:	Axles, Springs, and Shock Absorbers Must Meet Manufacturer's and Federal GAWR requirements	_____
g.	Interior:	Five (5) Passenger Seating Capacity with Seat Belt Positions on Crew Cab (Crew Cab with 4 Doors) <b>and</b> Two (2) Passenger Seating with Seat Bel Positions on Crew Cab (Extended Cab with 2 Doors)	_____
		Cruise Control	_____
		Adjustable Steering Wheel	_____
		Air Conditioning	_____
		AM/FM Radio	_____
		Auxiliary Port	_____
		Standard Vinyl Upholstery	_____
		Keyless Entry	_____
		Power Windows/Door Locks	_____
		Standard Floor Mats	_____
		Vehicle Anti-Theft System	_____
h.	Safety/Security:	Dual Front Air Bags (SRS)	_____
		Safety Belt Pretensioners	_____
		Belt Usage Sensors/Reminders	_____
		Alert Chimes (Rear Parking Aid)	_____
		Side Intrusion Door Beams	_____
		On Board Hands Free Communication System	_____
		Back Up Camera	_____
i.	Exterior:	Color: Factory White or Silver (White Preferred)	_____
		Dual Outside Mirrors	_____
		Factory Tinted Glass; All Windows	_____
		Auto Headlamps	_____
		Rear and Brake Lamps	_____
		Tow Hitch	_____
		Windshield Wipers with Variable Speed	_____
		Drop In Bed Liner Over Rail	_____

- j. Other: **Operator's Manual** \_\_\_\_\_
- Mileage Shall Not Exceed 500  
Miles at Time of Delivery \_\_\_\_\_
- Shop Repair Manual**, Owner's Manual  
(2-sets) (1 copy) **Manual** or Approved  
Substitute \_\_\_\_\_
- Vehicle Safety Inspection Not Less Than  
30 Days of Expiration At Time of Delivery \_\_\_\_\_
- Two (2) Sets of Keys \_\_\_\_\_
- Back Up Alarm \_\_\_\_\_
- Seven (7) Year/84,000 Miles Extended  
Warranty \_\_\_\_\_
- Quarterly Routine Maintenance \_\_\_\_\_

2. **Optional (Two (2) Additional Points Each)**

- On Board Navigational System \_\_\_\_\_
- Power Folding Mirrors \_\_\_\_\_
- Running Board(s) \_\_\_\_\_
- Tiptronic Automatic Transmission \_\_\_\_\_
- Spray On Bed Liner Over Rails \_\_\_\_\_
- Weather Terrain Floor Mats \_\_\_\_\_
- Engine Size, Larger than Minimum \_\_\_\_\_
- Extended Warranty, Greater than  
Minimum \_\_\_\_\_
- Extended Routine Maintenance, Greater  
than Minimum \_\_\_\_\_
- Other: \_\_\_\_\_
- Other: \_\_\_\_\_
- Other: \_\_\_\_\_
- Other: \_\_\_\_\_
- Other: \_\_\_\_\_

**PRICE PROPOSAL FORMAT**

**GROUP A: OAHU**

**1. NEW FULL SIZE PICK TRUCK – 1-TON**

Price Proposal for TWO (2) new full size pick-up trucks – 1-ton crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x **2** = \$ \_\_\_\_\_

**2. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for ~~SEVEN (7)~~ **NINE (9)** new full size pick-up trucks – 3/4-ton with crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x ~~7~~ **9** = \$ \_\_\_\_\_

**3. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for TWO (2) new full size pick-up trucks – 3/4-ton with crew cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_ /each x **2** = \$ \_\_\_\_\_

**4. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ~~NINE (9)~~ **TWO (2)** new full size pick-up trucks – 1/2-ton with ~~crew access cab~~ with ~~four (4)~~ **two (2)** doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x ~~9~~ **2** = \$ \_\_\_\_\_

**5. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ~~ONE (1)~~ **SIX (6)** new full size pick-up truck – 1/2-ton with ~~crew access~~ crew cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_ /each x ~~1~~ **6** = \$ \_\_\_\_\_



**6. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for TWELVE (12) new full size pick-up truck – Standard  
with ~~crew access~~ crew cab with four (4) doors, six (6) foot bed \$ \_\_\_\_\_/each x **12** = \$ \_\_\_\_\_

**7. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for ELEVEN (11) new full size pick-up truck – Standard  
~~with access cab~~ with two (2) doors, six (6) foot bed \$ \_\_\_\_\_/each x **11** = \$ \_\_\_\_\_

**8. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group A: Oahu**

**\$ \_\_\_\_\_**

**GROUP B: HAWAII ISLAND**

**1. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for ONE (1) new full size pick-up trucks – 3/4-ton  
with crew cab with four (4) doors, six (6) foot bed, 4-wheel drive

\$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**2. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ONE (1) new full size pick-up truck – 1/2-ton  
~~crew cab access~~ crew cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**3. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for TWO (2) new full size pick-up truck – Standard  
with-access cab with two (2) doors, six (6) foot bed

\$ \_\_\_\_\_/each x **2** = \$ \_\_\_\_\_

**4. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group B: Hawaii**

\$ \_\_\_\_\_

**GROUP C: KAUAI**

**1. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for FOUR (4) new full size pick-up truck – 3/4-ton crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x **4** = \$ \_\_\_\_\_

Price Proposal for ONE (1) new full size pick-up truck – 3/4-ton crew cab with four (4) doors, eight (8) foot bed, 4-wheel drive

\$ \_\_\_\_\_ /each x **1** = \$ \_\_\_\_\_

**2. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_ /year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group C: Kauai**

\$ \_\_\_\_\_

**GROUP D: MAUI**

**1. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for ONE (1) new full size pick-up truck – 3/4-ton crew cab with four (4) doors, eight (8) foot bed, 4-wheel drive \$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**2. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ~~FOUR~~ (4) **THREE** (3) new full size pick-up truck – crew access cab 1/2-ton with ~~four~~ (4) **two** (2) doors, eight (8) foot bed \$ \_\_\_\_\_/each x ~~4~~ **3** = \$ \_\_\_\_\_

**3. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ONE (1) new full size pick-up truck – 1/2-ton crew cab with four (4) doors, six (6) foot bed \$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**4. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for ONE (1) new full size pick-up truck – Standard crew access crew cab with four (4) doors, six (6) foot bed \$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**5. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group D: Maui**

\$ \_\_\_\_\_

**GROUP E: MOLOKAI**

**1. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ONE (1) new full size pick-up truck – 1/2-ton  
crew access cab with four (4) two (2) doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x **1** = \$ \_\_\_\_\_

**2. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_ /year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group E: Molokai**

\$ \_\_\_\_\_

### PRICE PROPOSAL SUMMARY FORM

Offerors will summarize their price proposal below and should be the same price(s) as listed above. Offerors are not required to submit a price proposal for all groups. **For any group not being bid, please write “no offer” in the space(s) provided.** Do not leave any item blank as it may be deemed non-responsive. Award will be made to the lowest responsible and responsive offeror for each group.

Group A: Oahu \$ \_\_\_\_\_

Group B: Hawaii \$ \_\_\_\_\_

Group C: Kauai \$ \_\_\_\_\_

Group D: Maui \$ \_\_\_\_\_

Group E: Molokai \$ \_\_\_\_\_

